

08-29-00

Please type a plus sign (+) inside this box → ☒

PTO/SB/05 (8-98)  
 Approved for use through 9/30/98. OMB 0651-0032  
 Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE  
 Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

# NEW UTILITY PATENT APPLICATION TRANSMITTAL

(to be used for new applications only)

Attorney Docket Number

P00039902

First Named Inventor

Thierry Laurent

Total Pages in this Submission

34

## APPLICATION ELEMENTS

Notice: Checklist items mentioned under Application Elements section construct a new utility patent application. Please refer to MPEP Sections 506, 601, (37CFR 1.77, 1.53, 35 USC 111, 112, 113) for detailed explanation regarding completeness of an original patent application.

1. ☒ Fee Transmittal Form (prescribed filing fee(s))

2. Specification

☒ Title of the Invention☐ Cross References to Related Applications (if applicable)☐ Statement Regarding Federally-sponsored Research/Development (if applicable)☐ Reference to Microfiche Appendix (if applicable)☒ Background of the Invention☒ Brief Summary of the Invention☒ Brief Description of the Drawings (if drawings filed)☒ Detailed Description☒ Claim or Claims☒ Abstract of the Disclosure3. ☒ Drawing(s) (when necessary as prescribed by 35 USC 113)4. ☒ Executed Declaration

5. Genetic Sequence Submission (if applicable, all must be included)

☐ Paper Copy☐ Computer Readable Copy☐ Statement Verifying Identical Paper and Computer Readable Copy

## ACCOMPANYING APPLICATION PARTS

6. ☒ Assignment Papers7. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)8. ☐ Computer Program in Microfiche9. ☐ English Translation Document (if applicable)10. ☐ Information Disclosure Statement/PTC-1449 ☐ Copies of IDS Citations11. ☐ Petition Checklist and Accompanying Petition12. ☐ Preliminary Amendment13. ☐ Proprietary Information14. ☐ Return Receipt Postcard15. ☒ Small Entity Statement16. ☐ Additional Enclosures (please identify below):

## SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT

Firm or Individual name

John C. Smith, Esq.

Signature

Date

## FOR OFFICIAL USE ONLY

Application Number			Class		Independent Claims	
Date of Receipt	Application Type		GAU		Total Claims	
	Filing Date		Foreign Filing License?		Drawing Sheets	
	Small Entity		Foreign Address?		Special Handling?	

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

JC853 U.S. PTO  
08/28/00

09/29/00 09:28:00

JC542 U.S. PTO  
09/29/00


08/28/00

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FEE TRANSMITTAL		Complete if Known		
		Application Number		
		Filing Date	8-28-2000	
		First Named Inventor	Thierry Laurent	
		Group Art Unit		
		Examiner Name		
TOTAL AMOUNT OF PAYMENT	(\$)	385.00	Attorney Docket Number	P00039902

METHOD OF PAYMENT (check one)				FEE CALCULATION (continued)																																																																																																																																																																											
1. <input type="checkbox"/> The Commissioner is hereby authorized to charge indicated fees and credit any over payments to: Deposit Account Number <input style="width: 150px;" type="text"/> Deposit Account Name <input style="width: 150px;" type="text"/> <input type="checkbox"/> Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17 <input type="checkbox"/> Charge the Issue Fee Set in 37 CFR 1.18 at the Mailing of the Notice of Allowance, 37 CFR 1.311(b)				3. ADDITIONAL FEES <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Large Entity Fee Code</th> <th style="width: 10%;">Small Entity Fee Code</th> <th style="width: 10%;">Large Entity Fee (\$)</th> <th style="width: 10%;">Small Entity Fee (\$)</th> <th style="width: 40%;">Fee Description</th> <th style="width: 10%;">Fee Paid</th> </tr> </thead> <tbody> <tr><td>105</td><td>130</td><td>205</td><td>65</td><td>Surcharge - late filing fee or oath</td><td></td></tr> <tr><td>127</td><td>50</td><td>227</td><td>25</td><td>Surcharge - late provisional filing fee or cover sheet.</td><td></td></tr> <tr><td>139</td><td>130</td><td>139</td><td>130</td><td>Non-English specification</td><td></td></tr> <tr><td>147</td><td>2,460</td><td>147</td><td>2,460</td><td>For filing a request for reexamination</td><td></td></tr> <tr><td>112</td><td>900</td><td>112</td><td>900</td><td>Requesting publication of SIR prior to Examiner action</td><td></td></tr> <tr><td>113</td><td>1,790</td><td>113</td><td>1,790</td><td>Requesting publication of SIR after Examiner action</td><td></td></tr> <tr><td>115</td><td>110</td><td>215</td><td>55</td><td>Extension for response within first month</td><td></td></tr> <tr><td>116</td><td>390</td><td>216</td><td>195</td><td>Extension for response within second month</td><td></td></tr> <tr><td>117</td><td>930</td><td>217</td><td>465</td><td>Extension for response within third month</td><td></td></tr> <tr><td>118</td><td>1,470</td><td>218</td><td>735</td><td>Extension for response within fourth month</td><td></td></tr> <tr><td>119</td><td>300</td><td>219</td><td>150</td><td>Notice of Appeal</td><td></td></tr> <tr><td>120</td><td>300</td><td>220</td><td>150</td><td>Filing a brief in support of an appeal</td><td></td></tr> <tr><td>121</td><td>260</td><td>221</td><td>130</td><td>Request for oral hearing</td><td></td></tr> <tr><td>138</td><td>1,470</td><td>138</td><td>1,470</td><td>Petition to institute a public use proceeding</td><td></td></tr> <tr><td>140</td><td>110</td><td>240</td><td>55</td><td>Petition to revive unavoidably abandoned application</td><td></td></tr> <tr><td>141</td><td>1,290</td><td>241</td><td>645</td><td>Petition to revive unintentionally abandoned application</td><td></td></tr> <tr><td>142</td><td>1,290</td><td>242</td><td>645</td><td>Utility issue fee (or reissue)</td><td></td></tr> <tr><td>143</td><td>440</td><td>243</td><td>220</td><td>Design issue fee</td><td></td></tr> <tr><td>144</td><td>650</td><td>244</td><td>325</td><td>Plant issue fee</td><td></td></tr> <tr><td>122</td><td>130</td><td>122</td><td>130</td><td>Petitions to the Commissioner</td><td></td></tr> <tr><td>123</td><td>50</td><td>123</td><td>50</td><td>Petitions related to provisional applications</td><td></td></tr> <tr><td>126</td><td>230</td><td>126</td><td>230</td><td>Submission of Information Disclosure Stmt</td><td></td></tr> <tr><td>581</td><td>40</td><td>581</td><td>40</td><td>Recording each patent assignment per property (times number of properties)</td><td style="text-align: center;">40.00</td></tr> <tr><td>146</td><td>770</td><td>246</td><td>385</td><td>Filing a submission after final rejection (37 CFR 1.129(a))</td><td></td></tr> <tr><td>149</td><td>770</td><td>249</td><td>385</td><td>For each additional invention to be examined (37 CFR 1.129(b))</td><td></td></tr> <tr><td colspan="5">Other fee (specify) _____</td><td></td></tr> <tr><td colspan="5">Other fee (specify) _____</td><td></td></tr> </tbody> </table>				Large Entity Fee Code	Small Entity Fee Code	Large Entity Fee (\$)	Small Entity Fee (\$)	Fee Description	Fee Paid	105	130	205	65	Surcharge - late filing fee or oath		127	50	227	25	Surcharge - late provisional filing fee or cover sheet.		139	130	139	130	Non-English specification		147	2,460	147	2,460	For filing a request for reexamination		112	900	112	900	Requesting publication of SIR prior to Examiner action		113	1,790	113	1,790	Requesting publication of SIR after Examiner action		115	110	215	55	Extension for response within first month		116	390	216	195	Extension for response within second month		117	930	217	465	Extension for response within third month		118	1,470	218	735	Extension for response within fourth month		119	300	219	150	Notice of Appeal		120	300	220	150	Filing a brief in support of an appeal		121	260	221	130	Request for oral hearing		138	1,470	138	1,470	Petition to institute a public use proceeding		140	110	240	55	Petition to revive unavoidably abandoned application		141	1,290	241	645	Petition to revive unintentionally abandoned application		142	1,290	242	645	Utility issue fee (or reissue)		143	440	243	220	Design issue fee		144	650	244	325	Plant issue fee		122	130	122	130	Petitions to the Commissioner		123	50	123	50	Petitions related to provisional applications		126	230	126	230	Submission of Information Disclosure Stmt		581	40	581	40	Recording each patent assignment per property (times number of properties)	40.00	146	770	246	385	Filing a submission after final rejection (37 CFR 1.129(a))		149	770	249	385	For each additional invention to be examined (37 CFR 1.129(b))		Other fee (specify) _____						Other fee (specify) _____					
Large Entity Fee Code	Small Entity Fee Code	Large Entity Fee (\$)	Small Entity Fee (\$)	Fee Description	Fee Paid																																																																																																																																																																										
105	130	205	65	Surcharge - late filing fee or oath																																																																																																																																																																											
127	50	227	25	Surcharge - late provisional filing fee or cover sheet.																																																																																																																																																																											
139	130	139	130	Non-English specification																																																																																																																																																																											
147	2,460	147	2,460	For filing a request for reexamination																																																																																																																																																																											
112	900	112	900	Requesting publication of SIR prior to Examiner action																																																																																																																																																																											
113	1,790	113	1,790	Requesting publication of SIR after Examiner action																																																																																																																																																																											
115	110	215	55	Extension for response within first month																																																																																																																																																																											
116	390	216	195	Extension for response within second month																																																																																																																																																																											
117	930	217	465	Extension for response within third month																																																																																																																																																																											
118	1,470	218	735	Extension for response within fourth month																																																																																																																																																																											
119	300	219	150	Notice of Appeal																																																																																																																																																																											
120	300	220	150	Filing a brief in support of an appeal																																																																																																																																																																											
121	260	221	130	Request for oral hearing																																																																																																																																																																											
138	1,470	138	1,470	Petition to institute a public use proceeding																																																																																																																																																																											
140	110	240	55	Petition to revive unavoidably abandoned application																																																																																																																																																																											
141	1,290	241	645	Petition to revive unintentionally abandoned application																																																																																																																																																																											
142	1,290	242	645	Utility issue fee (or reissue)																																																																																																																																																																											
143	440	243	220	Design issue fee																																																																																																																																																																											
144	650	244	325	Plant issue fee																																																																																																																																																																											
122	130	122	130	Petitions to the Commissioner																																																																																																																																																																											
123	50	123	50	Petitions related to provisional applications																																																																																																																																																																											
126	230	126	230	Submission of Information Disclosure Stmt																																																																																																																																																																											
581	40	581	40	Recording each patent assignment per property (times number of properties)	40.00																																																																																																																																																																										
146	770	246	385	Filing a submission after final rejection (37 CFR 1.129(a))																																																																																																																																																																											
149	770	249	385	For each additional invention to be examined (37 CFR 1.129(b))																																																																																																																																																																											
Other fee (specify) _____																																																																																																																																																																															
Other fee (specify) _____																																																																																																																																																																															
2. <input checked="" type="checkbox"/> Payment Enclosed: <input checked="" type="checkbox"/> Check <input type="checkbox"/> Money Order <input type="checkbox"/> Other																																																																																																																																																																															
<b>FEE CALCULATION (fees effective 10/01/96)</b> <b>1. FILING FEE</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Large Entity Fee Code</th> <th style="width: 10%;">Small Entity Fee Code</th> <th style="width: 10%;">Large Entity Fee (\$)</th> <th style="width: 10%;">Small Entity Fee (\$)</th> <th style="width: 40%;">Fee Description</th> <th style="width: 10%;">Fee Paid</th> </tr> </thead> <tbody> <tr><td>101</td><td>770</td><td>201</td><td>385</td><td>Utility filing fee</td><td style="text-align: center;">345.00</td></tr> <tr><td>106</td><td>320</td><td>206</td><td>160</td><td>Design filing fee</td><td></td></tr> <tr><td>107</td><td>530</td><td>207</td><td>265</td><td>Plant filing fee</td><td></td></tr> <tr><td>108</td><td>770</td><td>208</td><td>385</td><td>Reissue filing fee</td><td></td></tr> <tr><td>114</td><td>150</td><td>214</td><td>75</td><td>Provisional filing fee</td><td></td></tr> <tr><td colspan="5" style="text-align: right;"><b>SUBTOTAL (1)</b></td><td style="text-align: center;"><b>(\$ 345.00)</b></td></tr> </tbody> </table>				Large Entity Fee Code	Small Entity Fee Code	Large Entity Fee (\$)	Small Entity Fee (\$)	Fee Description	Fee Paid	101	770	201	385	Utility filing fee	345.00	106	320	206	160	Design filing fee		107	530	207	265	Plant filing fee		108	770	208	385	Reissue filing fee		114	150	214	75	Provisional filing fee		<b>SUBTOTAL (1)</b>					<b>(\$ 345.00)</b>																																																																																																																																		
Large Entity Fee Code	Small Entity Fee Code	Large Entity Fee (\$)	Small Entity Fee (\$)	Fee Description	Fee Paid																																																																																																																																																																										
101	770	201	385	Utility filing fee	345.00																																																																																																																																																																										
106	320	206	160	Design filing fee																																																																																																																																																																											
107	530	207	265	Plant filing fee																																																																																																																																																																											
108	770	208	385	Reissue filing fee																																																																																																																																																																											
114	150	214	75	Provisional filing fee																																																																																																																																																																											
<b>SUBTOTAL (1)</b>					<b>(\$ 345.00)</b>																																																																																																																																																																										
<b>2. CLAIMS</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Total Claims</th> <th style="width: 10%;">Extra</th> <th style="width: 10%;">Fee from below</th> <th style="width: 10%;">Fee Paid</th> </tr> </thead> <tbody> <tr> <td>14</td> <td>-20 =</td> <td>0</td> <td>0</td> </tr> <tr> <td>2</td> <td>-3 =</td> <td>0</td> <td>0</td> </tr> <tr> <td>Multiple Dependent Claims</td> <td></td> <td>0</td> <td>0</td> </tr> </tbody> </table>				Total Claims	Extra	Fee from below	Fee Paid	14	-20 =	0	0	2	-3 =	0	0	Multiple Dependent Claims		0	0																																																																																																																																																												
Total Claims	Extra	Fee from below	Fee Paid																																																																																																																																																																												
14	-20 =	0	0																																																																																																																																																																												
2	-3 =	0	0																																																																																																																																																																												
Multiple Dependent Claims		0	0																																																																																																																																																																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Large Entity Fee Code</th> <th style="width: 10%;">Small Entity Fee Code</th> <th style="width: 10%;">Large Entity Fee (\$)</th> <th style="width: 10%;">Small Entity Fee (\$)</th> <th style="width: 40%;">Fee Description</th> <th style="width: 10%;">Fee Paid</th> </tr> </thead> <tbody> <tr><td>103</td><td>22</td><td>203</td><td>11</td><td>Claims in excess of 20</td><td></td></tr> <tr><td>102</td><td>80</td><td>202</td><td>40</td><td>Independent claims in excess of 3</td><td></td></tr> <tr><td>104</td><td>260</td><td>204</td><td>130</td><td>Multiple dependent claim</td><td></td></tr> <tr><td>109</td><td>80</td><td>209</td><td>40</td><td>Reissue independent claims over original patent</td><td></td></tr> <tr><td>110</td><td>22</td><td>210</td><td>11</td><td>Reissue claims in excess of 20 and over original patent</td><td></td></tr> <tr><td colspan="5" style="text-align: right;"><b>SUBTOTAL (2)</b></td><td style="text-align: center;"><b>(\$ 0)</b></td></tr> </tbody> </table>				Large Entity Fee Code	Small Entity Fee Code	Large Entity Fee (\$)	Small Entity Fee (\$)	Fee Description	Fee Paid	103	22	203	11	Claims in excess of 20		102	80	202	40	Independent claims in excess of 3		104	260	204	130	Multiple dependent claim		109	80	209	40	Reissue independent claims over original patent		110	22	210	11	Reissue claims in excess of 20 and over original patent		<b>SUBTOTAL (2)</b>					<b>(\$ 0)</b>																																																																																																																																		
Large Entity Fee Code	Small Entity Fee Code	Large Entity Fee (\$)	Small Entity Fee (\$)	Fee Description	Fee Paid																																																																																																																																																																										
103	22	203	11	Claims in excess of 20																																																																																																																																																																											
102	80	202	40	Independent claims in excess of 3																																																																																																																																																																											
104	260	204	130	Multiple dependent claim																																																																																																																																																																											
109	80	209	40	Reissue independent claims over original patent																																																																																																																																																																											
110	22	210	11	Reissue claims in excess of 20 and over original patent																																																																																																																																																																											
<b>SUBTOTAL (2)</b>					<b>(\$ 0)</b>																																																																																																																																																																										
<b>SUBTOTAL (3)</b> <b>(\$ 40.00)</b>																																																																																																																																																																															

\* Reduced by Basic Filing Fee Paid

SUBMITTED BY				Complete (if applicable)	
Typed or Printed Name		John C. Smith, Esq.		Reg. Number 33,284	
Signature 		Date 8-28-2000		Deposit Account User ID	

**Burden Hour Statement:** This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

**VERIFIED STATEMENT CLAIMING SMALL ENTITY STATUS  
(37 CFR 1.9(f) & 1.27(b))—INDEPENDENT INVENTOR**

Docket Number (Optional)  
**P00039902**

Applicant or Patentee: **Thierry Laurent et al**

Application or Patent No.: \_\_\_\_\_

Filed or Issued: **8-28-2000**

Title: **Apparatus & Method for Using Storage Domains for Controlling Data  
in Storage Area Networks**

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees to the Patent and Trademark Office described in:

- ☒ the specification filed herewith with title as listed above.  
☐ the application identified above  
☐ the patent identified above.

I have not assigned, granted, conveyed, or licensed, and am under no obligation under contract or law to assign, grant, convey, or license, any rights in the invention to any person who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern, or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☒ No such person, concern, or organization exists.  
☐ Each such person, concern, or organization is listed below.

Separate verified statements are required from each named person, concern, or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

**Thierry Laurent**

NAME OF INVENTOR

*Thierry Laurent*  
Signature of inventor

**August 24, 2000**

Date

**Ziya Aral**

NAME OF INVENTOR

*Ziya A. Aral*  
Signature of inventor

**August 24, 2000**

Date

NAME OF INVENTOR

Signature of inventor

Date

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

In re application of: DataCore Software Corporation	:	Date: August 24, 2000
Serial Number:	:	Group Art Unit:
Filed: 8-28-2000	:	Examiner:
Title: APPARATUS AND METHOD FOR USING STORAGE DOMAINS FOR CONTROLLING DATA IN STORAGE AREA NETWORKS	:	Attorney: John C. Smith 4800 North Federal Highway, Suite A-207 Boca Raton, FL 33431 Telephone: (561) 394-4666

**VERIFIED STATEMENT OF SMALL ENTITY STATUS UNDER 37 CFR 1.9(f)**  
**AND 37 CFR 1.27(c) -- SMALL BUSINESS CONCERN**

The Honorable Commissioner of Patents and Trademarks  
Washington, D.C. 20231

Dear Sir:

I, Ziya Aral, hereby declare that I am:  
           the owner of the small business listed below;  
XXX an official of the small business concern empowered to act on behalf of the concern  
identified below:

Name of small business concern: DataCore Software Corporation  
Address of Small Business Concern: 6261 NW 6<sup>th</sup> Way, Suite #110  
Fort Lauderdale, Florida 33309

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time, or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention described in:

Sociodemographic characteristics	
Age	Mean = 40.2
Sex	Male = 72.4
Marital status	Married = 68.2
Education	High school or less = 54.1
Income	Low = 45.3
Health insurance	Private = 65.7
Employment	Unemployed = 38.9
Health status	Good = 62.1
Chronic conditions	Hypertension = 28.5
Diabetes	12.3
Heart disease	18.7
Stroke	5.6
Arthritis	22.4
Depression	15.8
Alcohol use	Heavy = 10.2
Smoking	Current = 25.1
Exercise	Regular = 35.4
Diet	Healthy = 42.7
Sleep	Good = 58.9
Stress	High = 30.6
Family size	Large = 48.3
Childcare	Available = 60.1
Transportation	Access = 70.5
Community support	Strong = 55.2
Healthcare access	Easy = 68.4
Healthcare quality	Good = 72.1
Healthcare cost	High = 35.7
Healthcare coverage	Full = 80.3
Healthcare utilization	High = 45.6
Healthcare satisfaction	Low = 20.8
Healthcare trust	High = 65.9
Healthcare engagement	Active = 50.4
Healthcare decision making	Shared = 40.2
Healthcare communication	Open = 55.1
Healthcare collaboration	Strong = 60.3
Healthcare partnership	Effective = 65.7
Healthcare alliance	Good = 70.1
Healthcare relationship	Positive = 75.4
Healthcare bond	Strong = 80.2
Healthcare connection	Deep = 85.1
Healthcare link	Secure = 90.3
Healthcare tie	Stable = 95.2
Healthcare bond	Unbreakable = 100.0

Each person, concern or organization having any rights in the invention is listed below:

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Page 2 of 2


EXPRESS MAIL - MAIL LABEL NO: EL274019234US

DATE OF DEPOSIT: B-28-2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service Express Mail Post Office to Addressee service under 37 CFR §1.10 on the date indicated above and is addressed to: Box PATENT APPLICATION, Assistant Commissioner for Patents, Washington, D.C. 20231

John C. Smith, Registration No. 33,284

Printed name of person mailing paper or fee

  
\_\_\_\_\_  
Signature of person mailing paper or fee

INVENTORS: Thierry Laurent and Ziya Aral

**APPARATUS AND METHOD FOR USING STORAGE DOMAINS FOR  
CONTROLLING DATA IN STORAGE AREA NETWORKS**

**BACKGROUND OF THE INVENTION**

Technical Field

- 5           The present invention relates to computer data storage systems. In particular, it relates to the organization and partitioning of data in Fiber Channel (FC) based storage area networks (SANs) into storage domains (SDs) that are controlled by Storage Domain Servers (SDSs) such that global control and access to data storage is provided by the SDS .

## Background Art

The development of computers initially focused on local systems with attached dedicated storage devices. Over time, communication systems were developed to allow sharing of data between computers. However, these early systems were slow and often not capable of allowing widespread or complete access to data across the network. As the need for data sharing between systems increased, a more effective method of controlling access to data between systems was needed.

Today, computing systems face a crisis in data access, storage, protection and availability. Critical data is now found on all platforms spread throughout the enterprise. This information is often isolated, incompatible, and too slow to respond to the emerging needs of the enterprise. However, while the storage and retrieval of common data by the entire enterprise is now a requirement, much of that data currently resides on incompatible, disparate, and isolated storage systems organized as localized "islands of information." As a result, while the need to access data is global throughout the enterprise, control of that data is local. It would be desirable to have a system that could provide global control of data throughout the enterprise.

Isolated islands of storage were acceptable as long as enterprise applications were also isolated to a given locality or operating system cluster and amongst a small number of server platforms. With the advent of large-scale networking, enterprise applications have proliferated onto a myriad of interconnected computer systems. The combination of networked servers and private storage has guaranteed that data is allocated, replicated, and managed in an ad-hoc manner. Today the limitations of storage technology determine the manner in which data is organized and presented. It would be desirable to be able to manage data on a large-scale, across interconnected computer systems, in such a manner that data availability could be controlled in a uniform and comprehensive manner and not limited by the particular storage technology being used.

Until recently, data storage devices have required close coupling to computing systems. High bandwidth access was achieved through distance limited connections in point-to-point configurations. Early mass storage control techniques recognized these physical limitations and concentrated storage in large locally attached storage controllers. These controllers provided high levels of connectivity combined with large storage capacity. To achieve high levels of performance these early controllers were also proprietary, expensive, and complex in design.

The networking of these storage controllers was impractical due to the limitations in bandwidth of early network technologies. These technologies could not eliminate the problem of "islands of information." In part, this was due to the fact that the logical allocation of storage resources between these controllers was impossible.

One step in the solution to the problem of providing adequate access to data has been the development of high-speed Fiber Channel (hereinafter "FC") connections. It should be noted that, for the purpose of this discussion, the term "fiber" in fiber channel can be used to denote either an optical or an electrical (i.e. copper wire) connection. FC connections provide computer systems with extremely high-speed data transfer rates. For example, they can deliver sustained bandwidth's of over 97 MB per second. In addition, due to their relatively low cost of implementation, cost per megabyte of data transfer is low.

Another advantage of FC technology is that, unlike other data transfer mechanisms such as ethernet, FC technology is protocol independent. It can be used for transferring audio/video, TCP/IP, Internet Protocol (IP), SCSI data, etc. FC technology also provides advantages over prior technologies due to the large distances which can be supported without serious degradation of performance or reliability. For example, FC systems can support devices as far away as ten kilometers. As a result, as computing networks control and support ever larger data volumes, data transfer rates, and total numbers of users, FC architecture has emerged as important element in the solution to the problems related to managing data in those large-scale networks.



Another element of the solution to storage management problems has been the development of storage area network ("SAN") products. A SAN is a connection scheme between computers and storage peripherals which is based on an FC data transport mechanism. SANs typically use FC technology as the data transport means between multiple systems and networks due to their excellent performance and reliability.

A Storage Area Network ("SAN") can be defined as an architecture composed of a group of storage systems and servers that are connected together via Fiber Channel (FC) equipment, such as a switch or hub. The introduction of SANs provides some partial solutions to a number of problems related to the "islands of information" in global storage systems. These solutions are limited to high bandwidth, increased connectivity, and robust topologies using FC hubs and switches. However, SANs address only two of the emerging enterprise storage requirements: improved connectivity and higher bandwidth. The resultant storage systems themselves remain proprietary and non-interoperable. The other requirements, such as interoperability, storage resource allocation and management, and high performance, have not been addressed with today's SAN architectures.

Despite their promise, SANs today are largely confined to two areas: 1) as extended server host and device connection methods for proprietary storage controllers; (i.e. as the backbones for vendor "private" networks); and 2) as storage networks specific to applications, typically those in which direct access to physical disks (1 to 1 mapping) is required and storage administration is limited or nonexistent. Other critical requirements, such as storage resource allocation and management, security, administration, and interoperability have not been addressed with today's SAN architectures.

SANs therefore have two major limitations. First while they may provide extended host and device interconnection for proprietary storage controllers on private networks, the resulting storage systems are isolated and not interoperable within the enterprise as a whole. Second, storage networks are tied to specific applications and provide only one-to-one mapping. For

example, in Windows/NT (TM) systems, NT will seek out and attempt to control all drives within the network even if those drives are required to be logically separated. Within UNIX, each OS will attempt to logically map all attached devices. Therefore, in UNIX, there is no centralized management and security structure which is aware of the overall storage management structure of a distributed system. SANs therefore increase the exposure of data storage systems to corruption because they lack a network oriented logical to physical mapping facility for disk drives, controllers, and operating systems. SANs allow a large number of devices to be attached to a system; however the visibility of these devices to the system is insufficient to "virtualize" the physical devices into logical pools of integrated and secure storage. It would be desirable to improve upon SANs with a system that bridges the logical mapping requirements of operating system file services, physical devices, and the SAN interconnection to provide universal data resource control and availability in conjunction with the performance and conductivity advantages of SANs.

While addressing the basic desirability of using SANs to provide wide scale access to data, the prior art has failed to provide a uniform and secure method of using SANs which also provides universal access and logical mapping of data across large-scale computing environments independent of the storage platforms used in the system.

## SUMMARY OF THE INVENTION

The present invention solves the foregoing problems by providing a Storage Domain architecture in which a pool of storage devices is controlled by one or a plurality of Storage Domain Servers (SDS). These storage devices may be connected to the Storage Domain Server directly via SCSI enclosures attached to the server, across a private Fiber Channel (FC) network, and/or across a public SAN fabric via switches and hubs. The Storage Domain Server logically maps physical storage data on individual storage devices to logical storage data and presents to

each host the storage resources allocated to that host by the storage administrator within the Storage Domain.

## BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a prior art SAN in which a plurality of hosts are attached on a Storage Area Network or on a Local Area Network, and access their storage devices through the SAN.

Figure 2 is an illustration of a preferred embodiment of the invention that uses Storage Domains and Storage Domain Servers in conjunction with the SAN.

Figure 3 is an alternative preferred embodiment which uses multiple storage domains.

Figure 4 is a preferred embodiment that illustrates the manner of accessing the storage resource pool using storage domains.

## DESCRIPTION OF THE PREFERRED EMBODIMENT

For ease of discussion, the following definitions of terms will be used when describing the invention: a) "Host" shall mean any standalone computer, application server, enterprise server or workgroup computer for which the Storage domain Server is allocating logical devices from the storage resource pool; b) "Storage Resource Pool" shall mean one or more, possibly heterogeneous, physical storage device(s) from which logical volumes are being allocated by Storage Domain Servers and presented to one or many Host(s); c) "System" shall mean one or more Storage Domain Server(s), one or more Storage Domain(s) and a storage resource pool; d) "SAN Region" shall mean one or more Storage Domain Server(s) logically grouped together to limit the scope of Storage Domains' capabilities and provide a logical view of the SAN topology;

and e) "Record" shall mean a vector of information containing static or dynamic configuration data used to configure and control the Storage Domain Server.

Prior to a detailed discussion of the figures, a general overview of the features and advantages of the invention will be presented then a detailed presentation including in-depth technical information will be presented.

### Overview of the Preferred Embodiment

Storage Domains solve problems inherent in conventional SAN systems such as security, resource allocation, resource management, resource planning, performance monitoring and quality of service. In addition, the Storage Domain architecture integrates a development platform enabling features such as High Availability (HA), centralized management, application server clustering, point-in-time copy and backups to be developed.

The expansion of business applications to all platforms and all localities has resulted in the need for global information storage, access, and retrieval systems. With the introduction of FC networks has appeared the need to be able to manage all physically attached and heterogeneous resources on that network. FC networks provide the physical means of carrying and routing FC traffic through a network of FC switches and/or Hubs. The solution to managing FC storage resources scattered throughout a FC network resides in the adoption of Storage Domain Servers (SDS) and, in addition, a virtual partitioning of the SAN into Storage Domains.

By adding Storage Domain Servers to the FC network we have now created a Storage Area Network (SAN) based on Storage Domains; an intelligent, cooperative and scalable technology aimed at solving the crisis of storage. Storage Domain Servers are backbone components to build a SAN architecture through Storage Domains. In place of multiple, incompatible, local storage devices, Storage Domains provided by the invention create a single,

compatible, enterprise wide, storage resource pool. In effect, the storage resource pool would appear in the system to be a gigantic shared disk drive.

Managed through Storage Domains, the resultant storage resource pool benefits from the following advantages:

- a. Data stored in the system are available to all authorized hosts and protected against unauthorized access.

A conventional FC Network has the ability to interconnect various storage devices to hosts. However such a solution lacks a unified underlying method to present and share resources presented by those storage devices. FC equipment vendors offer features like zoning in order to enforce hard-policies aimed at restricting access from a host to a certain set of FC storage devices but such configurations are difficult to implement and maintain, as well as offer a coarse granularity of FC resource sharing. A partitioning of the FC Network using zoning leads to very rigid networks topology where the logic is embedded in the FC hardware equipment with little or no compatibility among switch vendors. This partitioning can become extremely complicated to manage and enhance when geographically dispersed FC networks must be consolidated. Moreover, if the distance between two SAN sites is such that other interconnection protocols must be used to carry the FC traffic the complexity is enhanced by the fact that heterogeneous levels of security must be put in place to guarantee data integrity and security. As a consequence, it becomes extremely difficult for an administrator to plan and grow its SAN. Even if humanly possible with the help of network planning tools, the associated cost of having to zone remote sites would be prohibitive.

Storage Domain Servers take control of all storage devices directly attached to them or scattered in the FC network, and present a consolidated view of that available storage to hosts. By doing so, Storage Domain Servers are also able to enforce soft-policies that can be easily established and modified, at any given time, through an intuitive interface based on drag-and-

drop. The result is an optimized distribution of the storage resource pool available among heterogeneous hosts.

b. The storage resource pool is divisible into multiple and secured “virtual and logical data volumes “ (hereinafter “Volumes”) that match the requirements of individual hosts. This allows a resulting volume to be allocated to the appropriate host regardless of its physical location and then be granted a set of properties and rules through the Storage Domain. The Storage Domain allows the volume to be handled independent of the hardware, such that it uniformly supports all storage devices including optical discs, magnetic disks, arrays, storage controllers, etc. The system is entirely compatible with existing enterprise corporate hosts since all volumes can be addressable as simple disc drives.

By organizing access to the data through logical volumes, hosts can access the data without regard to the physical device technology, or connection schemes. In addition, the use of FC technology to transfer data between Storage Domain Servers allows hosts to access the volume without regard to the physical location of the storage device. The FC data transfer also provides high performance levels for input-output operations without limitation due to distance.

c. Storage Domains allow properties, capabilities, features and services to be available and configurable by taking into account the ultimate end-to-end path taken by I/Os. That guarantees a consistent and global control of the I/O path independently of the hardware equipment involved in carrying the I/O protocol across the network. A Virtual Path (VP) is created between the host for which the volume is provided on one end and the volume under control of the Storage Domain Server on the other end. Each Virtual Path is identified by a unique Id.

d. In addition to providing hardware independence, the storage domains allow data to be used across multiple platforms. For example, Windows/NT and Unix based platforms can share data. Further, the storage domains overcome the drawbacks associated with SANs by managing, allocating, and reallocating data from a single centralized point. This eliminates the “islands of

information” problem which remains in systems that use SANs without the benefits provided by storage domains. Central control of data with storage domains also allows the data storage to be scalable from a few users and platforms to a multitude of users and platforms. The centralized control also improves data integrity levels comparable or beyond current RAID technologies.

5 Another major advantage is that no addition to the host’s operating system is necessary to grant a host access to a volume; Access control and management of all volumes in the storage resource pool is performed from any Storage Domain Server where only the storage administrator has privilege to alter the properties of a Virtual Path and capabilities of the Storage Domain. This concept guarantees the highest level of security required by storage systems since no tampering of  
10 access controls from a host itself is possible.

Storage Domains solve problems inherent in conventional SAN systems such as security, resource allocation, resource management, resource planning, performance monitoring and quality of service. These issues and others can be resolved by the introduction of the Storage Domain Server at the core of the system. The Storage Domain Server provides for bridging the physical  
15 SAN to the file services layer of the host’s operating system and its applications.

The storage resource pool is composed of storage devices controlled by one or a multitude of Storage Domain Servers. These devices may be connected to the Storage Domain Server directly via SCSI enclosures attached to the server, across a private FC network, and/or across a public SAN fabric via switches and hubs. These devices may be simple disks, RAID  
20 adapters, storage arrays, storage controllers, or any subset or combination of the above. Regardless of the physical location of the storage devices, the Storage Domain Server presents to each host the data volume allocated to that host by the storage administrator within the Storage Domain.

The Storage Domain Server role is to directly control physical devices and provide the  
25 means to map the controlled physical storage to a virtualized logical storage (also called a

volume) in order to meet individual hosts needs and privileges. The resulting logical volume is presented to individual hosts or a multitude of hosts, thus relieving hosts from the burden of managing the actual physical storage device.

The logical storage presented to a host may be assembled from a one-to-one combination of physical storage device and/or a one-to-many combination of, possibly heterogeneous, physical storage devices.

The versatility of Storage Domains allows any host to be connected to any volume across the FC network, thus creating a Virtual Path, but still be controlled by a common set of capabilities configured in each Storage Domain. In addition, each Virtual Path is configured with intrinsic properties that cannot be shared with other VPs nor inherited by the Storage Domain. This concept demonstrates the fundamental difference between properties and capabilities, and the different levels at which they operate.

Storage Domains do not define nor restrict the way a particular storage device is being managed in the storage resource pool. Capabilities are softly configured for the Storage Domain and broadcasted to all Storage Domain Servers involved in managing Virtual Paths defined in the Storage Domain.

Storage Domains are all defined within a Region. The concept of Region exists to further enhance the virtualization of the SAN and logically groups together one or many Storage Domain Server(s). The Region has neither geographical boundary nor limitation and achieves the total virtualization of a SAN portion into a logical view from which Storage Domains can be created. All Storage Domain Servers defined in the same Region are able to exchange static and dynamic configuration parameters and events.

The goal of the Region is to logically isolate a portion of the SAN; therefore Regions cannot be conjoint to one another. However they can be merged when an association is needed



between foreign Virtual Paths, for example, when a Storage Domain A present in Region A is being scaled to encompass virtual paths present in Region B but whose capabilities must now follow the ones of Storage Domain A.

#### Details of the Preferred Embodiment

5           In this section we will describe in greater details the invention by adding technical information aimed at building the solution described by the invention.

10           The Virtual Path discussed in the overview section of the preferred embodiment is the Storage Domain's most atomic element. A Storage Domain contains one or many VPs that are grouped together according to the storage administrator's goals, often dictated by the enterprise organization. A Virtual Path is created when an association is made between a host and a volume. This association grants the host access to that volume according to configured access control parameters and describes the end-to-end path taken by I/O operations from/to the host and the Storage Domain Server. Practically, the association can be realized using any interface showing the virtualized data volume from the storage resource pool under control of a specific Storage Domain Server and the host. Those skilled in the art will recognize that a Graphical User Interface (GUI) will reveal how intuitive this association can be; however the interface can be implemented through any other mean available on the software platform.

15           The resulting VP is uniquely identified by the combination of the following elements:

- 20           a.       The host's FC unique identifier, formed by the FC HBA's vendor World Wide Name (WWN). This is the adapter by which I/O operations are performed on the host.
- b.       A multiplexing endpoint identifier, formed by the Logical Unit Number (LUN).

c. The Storage Domain Server's unique identifier, formed by a globally registered WWN. When the Storage Domain Server is enabled it is setup with a unique WWN that cannot be repeated among other Storage Domain Servers participating in the same Region.

d. The Storage Domain Server's FC unique identifier, formed by the FC HBA's vendor World Wide Name (WWN). This is the adapter by which I/Os are performed on the SDS.

e. The volume's unique identifier, formed by the Volume ID.

During its creation the Virtual Path is associated to a Storage Domain. If the Storage Domain already has capabilities set up then the new VP will be enabled in compliance with those capabilities. If no capabilities are set yet then default values should be applied with respect to not contradict those that the storage administrator has enforced for other Storage Domains.

Within a Storage Domain, I/O operations are validated on a per I/O basis for the VP. The validation process ensures that proper access controls are configured for processing by layers fetching the secured volume data. Each I/O is trapped, checked for access control and analyzed by a capability layer whose role is to account and report statistical information about the VP carrying this I/O. All Virtual Paths' statistical information is gathered and redistributed through new runtime parameters to the Storage Domain in which the VP is defined.

The capability layer should be as streamlined as possible since it is placed in the critical data delivery path. Therefore, the preferred implementation is to have a background processing fetching those statistical data for analysis and let the capability layer be a slave component basing its decision process on runtime parameters set up and refreshed externally from its own logic. The second great benefit is to not have to interlock with other components in the SDS while accessing those decision-making parameters as they are browsed but never modified by the layer. Those skilled in the art will recognize that other programming options are selectable depending on the software platform used for implementing Storage Domains.

A Region is created or grown by registering in a Storage Domain Server. A Region name is provided for that effect when the SDS is configured during its installation phase. The Storage Domain Server initially triggers an auto-discovery process during the final step of its startup phase. After having successfully retrieved the current Region configuration it registers itself in, listing its available volumes and accepting configuration records from a configuration tool. The discovery, registration process and format of the structure hosting the Region parameters are not in the scope of this invention and will not be discussed further. We turn now to a detailed discussion of the figures.

Referring to Figure 1, this figure illustrates a prior art SAN technology in which a variety of hosts, such as servers 2 and desktops 3, are directly connected on SAN 8. In addition, remote hosts such as desktops 1, may be attached to LAN 7. In this embodiment, each host 2 attached to SAN 8 would be able to access the storage devices 4, 5 and 6 attached to SAN 8. Likewise, remote hosts 1 would be able to access their data on SAN 8 through hosts 2 that are directly attached to both SAN 8 and LAN 7. In a typical environment, hosts 2 would be computers using popular operating systems such as Windows/NT or variations of the Unix operating systems. However, those skilled in the art will recognize that SAN technology can be used in conjunction with any suitable software platform such as those capable of running on personal computers through mainframe computers systems.

Each host 2 attached to SAN 8 would have to be able to recognize and be configured to communicate with a particular type of storage device represented by devices 4, 5 and 6. Since not all of hosts 2 will be capable of or be configured to access all of the devices 4-6, the organization as a whole will still have the traditional problem of islands of information that are not accessible by all users in the organization.

Each storage devices' addressable logical unit is not shareable among hosts 2-3. Since storage devices 4 contain a unique addressable logical unit 41, it is impossible for hosts 3 to

surrender a portion of their possibly unused unit 41's storage space for hosts 2 to use, whereby wasting a great amount of storage space.

Even though hosts 2 are configured to access units 61 and 62 and host 3 unit 63, host 3 will be able to discover units 61 and 62 as well and will have to be configured not to use units 61 and 62, whereby creating a security hole as hosts 2 and 3 could be owned by different groups in the organization. The only solution left to the administrator here would be to dedicate access to the entire device 5 for hosts 2 through hardware zoning, whereby wasting storage space and turning SAN 8 to a very rigid topology causing administration trouble at each step of the organization's growth.

Value-added storage system's features can only be implemented on hosts 2-3 and necessitate the addition of specific software on all hosts. Such software might not exist for all software platforms implemented by hosts 2-3. Further, storage features are being mixed with specific hosts' applications, thus rendering the whole host platform unstable and prone to failure.

Figure 2 illustrates a SAN technology that implements the Storage Domains of the invention shown. In this figure the Storage Domain, SD 9, is composed of one or many Storage Domain Server(s). For ease of illustration and readability, the SD 9 software has been illustrated abstracted from Storage Domain Servers. However, in the preferred embodiment, the SD 9 software would reside in the Storage Domain Servers.

Also, for ease of discussion, hosts 2 acting as stealth application servers have not been chosen to also host the Storage Domain software, but those skilled in the art will recognize that any system capable of communicating with the SAN network can implement the storage domain, including personal computers, servers, minicomputers, mainframe computers, and supercomputers. In addition, any combination of the aforementioned list of computers can be implemented as a single storage domain network. Due to this, SD 9 allows the integration of

disparate and otherwise incompatible systems into a single network where data is available to all users regardless of the particular hardware or software platform a particular user has.

For ease of understanding the figure depicts only one Storage Domain SD 9 where all Virtual Paths inherit the same capabilities. However, the same logic applies to a multitude of Storage Domains as developed in Figure 3.

SD 9 is configured to access and control all storage devices 4-6, which includes all their addressable logical units, whereby creating a global storage resource pool from a multitude of heterogeneous storage devices. The SD 9 software logic then creates one or more volume(s) from each logical unit it controls. Logical unit 62 can now be partitioned into 2 volumes, 621 and 622, and then accommodate the distribution of unused storage space to heterogeneous hosts 2 and 3. The logical unit becomes now shareable among hosts 2-3 and the granularity of storage allocation can be refined to just allocate what the host needs.

Every volume so created becomes now an addressable unit that hosts 2-3 will be capable to access because of the virtualization performed by SD 9. Moreover this virtualization also alleviates the need for hosts 2-3 to be aware of the physical characteristics of the storage device as the SD 9 software logic handles all translations required by hosts' operating systems to access a particular device type. Even though volumes 401 and 622 are created from two drastically different storage devices, the protocol to access those volumes from hosts 2 and 3 will be automatically adapted by SD 9 depending on specific aspects of each host's operating system, transparently for the host and without any specific configuration on the host itself and limited, if any, on SD 9. In this manner, the various hosts in the system no longer need to be concerned about physical characteristics of the storage device because they never directly access the storage device.

All I/O requests from hosts 2-3 are funneled through SD 9. The SD 9 software configures and controls access to all data stored on devices 4-6 through the configured volume. When a

request for data is received from a host, the request is internally directed to a volume image and not directed to the actual physical I/O device. The great advantage is the ability to process I/O requests from an internal high performance and adaptive cache within SD 9, whereby dramatically reducing high latency physical devices' I/O requests.

5           Because each volume's properties are configured from SD 9 and I/O requests are validated from SD 9, this centralized control and management ensures that data is always protected from unauthorized access. No host configuration can grant access to a volume within SD 9; only SD 9 configuration tools, under unique control of the storage administrator, can realize that function. It also means that each host is automatically restricted to discover only  
10 those volumes that have been configured for its use. Contrary to figure 1, there is no longer a need to modify the SAN topology or use hardware zoning in order to prevent an unauthorized host from discovering a volume.

          The SD 9 software presents a front-end interface to hosts 2-3 by which it processes their I/O requests. Using a back-end interface the SD 9 software controls all storage devices. The  
15 advantage is that future unknown storage devices could be abstracted and virtualized as already known storage device types, whereby accelerating the adoption and integration of new storage devices.

          In Figure 3, an alternative preferred embodiment is shown which extends the embodiment of Figure 2. In this embodiment, SD 10 has been added to SD 9 and illustrates capabilities that  
20 can be shared by a group of Virtual Paths within a Storage Domain. New Storage Domains can be defined gradually as the organization grows to adequately reflect the need to monitor accesses of different groups of users. For ease of illustration and readability, the SD 9 and SD 10 software has been illustrated abstracted from Storage Domain Servers. However, in the preferred  
25 embodiment, the SD 9-10 software would reside in the Storage Domain Servers. Because Storage Domains SD 9-10 are a logical grouping of Virtual Paths, their respective logic is present

in all Storage Domain Servers. It is automatically enabled for all Virtual Paths channeled through one or many Storage Domain Server(s).

At the conjunction of SD 9 and SD 10 is volume 622 whose VPs are present in both Storage Domains. In SD 9 we find VP 6221 between volume 622 and host 2, and in SD 10 we find VP 6222 between the same volume 622 and host 3. Each VP can have a different set of properties and because they are in 2 different Storage Domains they can now have a different set of capabilities. VP 6221 can have properties set for host 2 to have full access to volume 622 whereas VP 6222 will be set for host 3 to have restricted access to volume 622. Because they are placed in different Storage Domains, VP 6221 could benefit from SD 9's capabilities to have higher privileges regarding the quality of service it gets from the SAN whereas SD 10 could be set with an acceptable quality of service. The great advantage is the ability to setup different classes of services regarding the same volume accessed by different hosts.

The SD 9 logic can span multiple Storage Domain Servers for example if different Storage Domain Servers control VPs to volumes 401, 621 and 622. This is a great advantage for scalability and continued high level of performance within the Storage Domain since more Storage Domain Servers can be gradually added to spread the workload of controlling the volumes and the Storage Domain extended accordingly. The advantage is that Storage Domains are not dependant on the Storage Domain Servers' physical configuration.

Each I/O request being funneled through volume 401 is analyzed by the Storage Domain's logic and valuable information extracted to account for this I/O request in SD 9. The SD 9 logic performs a cyclic post-processing of all VPs' information so gathered by all Storage Domain Servers controlling SD 9's Virtual Paths. According to capabilities configured for SD 9 a consensus is established that can modify the way I/O requests are processed by the SD 9 software. New operating parameters are then broadcasted to all Storage Domain Servers controlling SD 9's Virtual Paths.

Figure 4 shows a diagram view of the SAN that implements the Storage Domains of the invention. For ease of illustration and readability, no specific Storage Domain has been named. However, in the preferred embodiment, there would be one or many Storage Domains such to provide adequate capabilities to Virtual Paths. In the same manner, Storage Domain Servers do not appear in the diagrams; however, it is important to specify that volumes or volume sets requiring high availability by any mean should be paired with other volumes controlled by a different Storage Domain Server. Those skilled in the art will recognize that high availability can only be obtained through the use of more than one Storage Domain Server.

The drawing shows a diagram containing a global storage resource pool comprised of storage devices 1,2 and 3. Each device is of a different type. Device 1 presents two addressable logical units 11 and 12; device 2 presents three units 21, 22 and 23 and device 3 presents only one unit 31. The Storage Domain software through one or many Storage Domain Servers controls all those logical units and has created volumes from them to accommodate their use.

Logical unit 12 is being split into two virtual volumes 121 and 122. The Storage Domain has made a volume set VS 1 comprised of those two volumes and volume 211. Volume 122 has been configured to be the access point for hosts in VS 1. Two VPs, 1221 and 1222, are used by Hosts to communicate with volume 122 to then access data in the volume set VS 1. Hosts will need software outside the scope of this invention in order to synchronize their access to VS 1 and not cause data integrity problems. Those skilled in the art will recognize that this is a known issue and that a wide variety of software is already available to realize that function. A different Storage Domain Server or the same SDS could control each volume from VS 1; that's because Storage Domains span transparently across Storage Domain Servers.

VS 1 is expandable through Storage Domains to accommodate the growing needs of Hosts. It is possible to increase the number of volumes part of VS 1 without having to intervene on the Host using VP 1221 and 1222. VS 1 can be presented to hosts 2-3 in the form of a giant disk drive where actual storage devices can be of different types.



003380-03200-0349120-03649120-0375960

5 A mirror MS 1 has been created between VS 1 and VS 2 by the Storage Domain software to provide a higher availability to VS 1. Those skilled in the art will recognize that mirroring is a high availability feature. Therefore, different Storage Domain Servers must host VS 1 and VS 2's  
10 volumes. Volumes 221 and 231 are not available to be assigned to hosts because they become internally reserved to realize MS 1. The advantage of Storage Domains is the ability to create high availability configurations without involvement from hosts 2-3. Moreover, hosts 2-3 are not aware of the fact that their Virtual Paths 1221 and 1222 are, or became, highly available, which makes it possible to dynamically change their properties by interrupting neither the hosts nor the Storage Domain software.

In the same manner as above, a mirror MS 2 is established between two single volumes. It is important to note that the flexibility of virtual volumes allows the same logical unit 23 to be part of two different high availability configurations.

15 While the invention has been described with respect to a preferred embodiment thereof, it will be understood by those skilled in the art that various changes in detail may be made therein without departing from the spirit, scope, and teaching of the invention. For example, the fiber channels used by the storage area networks can be replaced with any data transfer technology capable of sustaining the required bandwidth for a given application, the storage domain may be implemented in software, firmware, etc. Accordingly, the invention herein disclosed is to be  
20 limited only as specified in the following claims.

We claim:

## CLAIMS

1. A global storage system for use with computer networks, further comprising:
  - a computer network having a plurality of computers;
  - at least one of the computers is a storage domain server;
  - at least one physical storage device is controlled by the storage domain server;
  - a storage area network, at least two of computers in the computer network attached to each other via the storage network; and
  - a storage domain, further comprising:
    - means to map the physical storage devices to logical devices the storage domain servers;
    - means to control access to the logical devices in the storage domain servers; and
    - an interface between the storage area network and the storage domain server which presents the logical devices to the storage area network;

whereby access to data on a storage domain server is made to a logical device that represents a physical device.
2. A system, as in claim 1, further comprising:
  - means in the storage domain to access devices allocated to the storage domain server.

[illegible]

the storage domain authorizes access to logical devices.

A system, as in claim 3, further comprising:

a plurality of storage domains, each storage domain having means to access a selected storage domain server.

A system, as in claim 4, wherein:

at least two storage domains concurrently have access to the same storage domain server.

A system, as in claim 5, wherein:

at least two storage domains concurrently have access to the same logical device.

A system, as in claim 6, further comprising:

at least one fiber channel having a data protocol; and

the storage area network having means to use the fiber channel data protocol to move data between computers.

A method of providing global data storage on computer networks, including the steps of:

interconnecting a plurality of computers in a storage area network;

using at least one storage domain server as one of the computers in the storage area network;

attaching at least one physical storage device to the storage domain server;

controlling access to the physical devices in the storage domain server with a storage domain;

mapping the physical devices attached to the storage domain server to logical devices; and

controlling access to the logical devices with the storage domain;

whereby access to data on a logical device in a storage domain server is made independently of a physical device.

9. A method, as in claim 8, including the additional step of:

using the storage domain to control access physical devices attached to the storage domain server.

10. A method, as in claim 9, including the additional step of:

using the storage domain to control access to logical devices.

11. A method, as in claim 10, including the additional step of:

allowing access to a selected storage domain server by at least two storage domains.

12. A method, as in claim 11, including the additional step of:


Table 1. Demographic characteristics of the study population	
Age (years)	50.0 ± 10.0
Gender	
Male	50.0%
Female	50.0%
Education	
High school	50.0%
University	50.0%
Marital status	
Married	50.0%
Single	50.0%
Occupation	
Physician	50.0%
Nurse	50.0%
Other	50.0%
Smoking status	
Smoker	50.0%
Non-smoker	50.0%
Alcohol consumption	
Alcohol consumer	50.0%
Non-alcohol consumer	50.0%
Family size	
1-2	50.0%
3-4	50.0%
5-6	50.0%
7-8	50.0%
9-10	50.0%
11-12	50.0%
13-14	50.0%
15-16	50.0%
17-18	50.0%
19-20	50.0%
21-22	50.0%
23-24	50.0%
25-26	50.0%
27-28	50.0%
29-30	50.0%
31-32	50.0%
33-34	50.0%
35-36	50.0%
37-38	50.0%
39-40	50.0%
41-42	50.0%
43-44	50.0%
45-46	50.0%
47-48	50.0%
49-50	50.0%
51-52	50.0%
53-54	50.0%
55-56	50.0%
57-58	50.0%
59-60	50.0%
61-62	50.0%
63-64	50.0%
65-66	50.0%
67-68	50.0%
69-70	50.0%
71-72	50.0%
73-74	50.0%
75-76	50.0%
77-78	50.0%
79-80	50.0%
81-82	50.0%
83-84	50.0%
85-86	50.0%
87-88	50.0%
89-90	50.0%
91-92	50.0%
93-94	50.0%
95-96	50.0%
97-98	50.0%
99-100	50.0%


- concurrently accessing a selected logical device by at least two storage domains.

- using at least one fiber channel to move data between computers in the storage area network.


## ABSTRACT

A Storage Domain architecture in which a pool of storage devices is controlled by one or a plurality of Storage Domain Servers (SDS) and create a single, compatible, enterprise wide, storage resource pool that appears to the system as a gigantic shared disk drive. These storage devices may be connected to the Storage Domain Server directly via SCSI enclosures attached to the server, across a private Fiber Channel (FC) network, and/or across a public SAN fabric via switches and hubs. The Storage Domain Server logically maps physical storage data on individual storage devices to logical storage data and presents to each host the storage resources allocated to that host by the storage administrator within the Storage Domain. Data stored in the system is available to all authorized hosts and protected against unauthorized access. Storage Domain Servers control all storage devices directly attached to them or scattered in the FC network, and present a consolidated view of that available storage to hosts. The storage resource pool is divisible into multiple and secured "virtual and logical data volumes" that match the requirements of individual hosts. The volumes are allocated to the appropriate host regardless of physical location and then granted a set of properties and rules through the Storage Domain. The Storage Domain allows the volume to be handled independent of the hardware, such that it uniformly supports all storage devices, such as optical discs, magnetic disks, arrays, storage controllers, etc. All volumes can be addressable as simple disc drives.












Figure 4:

Parameter	Value	Unit
Temperature	25.0	°C
Pressure	1.0	atm
Flow rate	1.0	L/min
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Scan rate	1.0	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	1.0	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	1.0	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	1.0	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	1.0	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	1.0	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	1.0	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	1.0	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	1.0	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	1.0	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	1.0	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	1.0	nm/min
Integration time	1.0	s
Resolution	0.5	

My residence, post office address and citizenship are as stated below next to my name;

# APPARATUS AND METHOD FOR USING STORAGE DOMAINS FOR CONTROLLING DATA IN STORAGE AREA NETWORKS

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

I hereby declare that all statements made herein of my own knowledge are true and that all

[illegible]

Page 2 of 2